

Purchase Order Receipt Listing

Wednesday, February 17, 2016 3:46:43 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO31150 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MIRB Qty/ MIRB Reject Qty	Book Amt
Vendor ID/Vendor Name											
PO31150	1		VU-MET002	A.M. Castle & Co. (Canada) Inc.- C/O 910720	2/17/2016	2/17/2016	36.0000		0.0000	0	\$0.00
USD	No		M7075T6B0.375X8.0 f 00								
			7075-T6 Plate 0.375" f X 8.000" QQ-A 250/12 m134261		36.0000	PLOU01			0.0000	0	
	2		M7075T6B1.250X07. f 000		2/17/2016	2/17/2016	33.3333		0.0000	0	\$0.00
	No		7075-T6 BAR 1.25" f X 7.000" ORDER PRE CUT TO 50.00" m134261		33.3333	PLOU01			0.0000	0	
	3		M7075T6B7.000X2.0 f 00		2/17/2016	2/17/2016	23.4000		0.0000	0	\$0.00
	No		7075-T6 BAR 7.000" f X 2.000" (order in billets - 13.375") m134261		23.4000	PLOU01			0.0000	0	
	4		71401-45		2/17/2016	2/17/2016	1.0000		0.0000	0	\$0.00
	No		procurement quality clauses m134261		1.0000	PLOU01			0.0000	0	

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:

93.7333
0.0000
0.0000
\$0.00
0.0000



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No: 2885954

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 16-FEB-16	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 2885954-2

Shipment Details

Final Destination Branch - TOR

Order No	Line No	Item No	Description	Ordered Qty	Invoice Qty
4224975	3	750616 MO	2.0000.PL.7075.T651.ALUMINUM.USL.48.5000.144.5000 CUT RECTANGLE TO 7 IN (+ .0310/- .0000 IN) X 13.375 IN (+ .0310/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: (AMS-QQ-A-250/12)	21.00 PCS	21.00 PCS
Purchase Order No 31150		Part Number			
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No. 120329062	Mill KAISER ALUMINUM	Heat Number 	Mech Id 3	PCS	Width (IN) 57.9846
120329062	KAISER ALUMINUM		18		347.9073



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to specifications, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Stewart A. Dyer

Date:

Name:



FEB 16 2015

SHIP TO:

A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

Serial Number

4384897

CUSTOMER PO NUMBER: 326703		WORK PACKAGE:		CUSTOMER PART NUMBER: 750616		SHIP RUN/LOAD: 103277/11		GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1190161	LINE ITEM: 1	SHIP DATE: 29-JUL-2015	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate			
WEIGHT SHIPPED: 7224 LB	QUANTITY: 5 PCS EST.	TRUCK B/L #: 2055200	GAUGE: 2.0000 IN (50.8000 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)		

MHU 1891981: LOT 775410A4: 3 pieces;

MHU 1891982: LOT 775410A4: 2 pieces;

Certified Specifications

AMS 4045/RevK
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevM

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CST1 006/RevE
GSS16100/RevG/Amd1

DAS
14
9-89
16/02/18

Test Code: 1512

Test Results

Lot: 775410A4 Cast 786

Drop 18

Ingot 3

Parent Lot: 131143B0 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:

Temper
T651

Dir / # Tests

LT / 2 (Min:Max)

Ultimate KSI (MPA)

81.6 : 81.6

(563 : 563)

Yield KSI (MPA)

72.5 : 72.5

(500 : 500)

Elongation %

12.5 : 12.9



(ASTM E1251)

Chemistry:

Actual(wt%)

SI

FE

CU

MN

MG

CR

ZN

TI

V

ZR

TOT

OTHER

0.08

0.17

1.5

0.06

2.5

0.19

5.6

0.03

0.01

0.01

0.05

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4384897

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS


AMC CA-15403A R 7
AMS 4045,AMS QQ-A-250/12,AMS STD-2154,A
STM B209,ASTM B594,BS
S 7055,CMMP 025,CSTI 006,DPS 4.713,GAMP
S 9101,PS 21211

TEST NOTES

Metal represented by this test report was 100% immersion
ultrasonically tested from one side with 3mm dead zones top
and bottom and meets the Class A and Class B requirements of
all specifications referenced on this test report. No
surface marking of sonic indications is performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:
* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
* has been thermally processed in compliance with AMS 2772, where applicable.
* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).
* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, LABORATORIES SUPERVISOR



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No.:2885954

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 16-FEB-16	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 2885954-2

Shipment Details

Final Destination Branch - TOR

Order No 4224975	Line No 2	Item No 752114.MO	Description 1.2500.P.L.7075.T651.ALUMINUM.US1.48.5000.144.5000. CUT RECTANGLE TO 7 IN (+ .0310/- .0000 IN) X 50 IN (+ .0310/- 0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	
Purchase Order No 31150	Part Number	Ordered Qty 8.00 PCS	Invoice Qty 8.00 PCS	
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
Delivery No. 120329919	Mill KAISER ALUMINUM	Heat Number  7 8 0 0 9 7 A 2 1	Mech Id PCS 8	Width (IN) Length (IN) Shipped Qty(LBS) 362.2664

SP16-0217

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 16-FEB-2016 05:00:52 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:

James H. Allen

Date:

Name:

FEB 16 2015



SHIP TO: A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723
SOLD TO: AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4393143

CUSTOMER PO NUMBER: 339158	WORK PACKAGE: 752114	CUSTOMER PART NUMBER:	SHIP RUN/LOAD: 103352/11	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1196576	LINE ITEM: 1	SHIP DATE: 10-OCT-2015	ALLOY: 7075	CLAD: BARE
TEMPER: T651		PRODUCT DESCRIPTION: KaiserSelect Plate		
WEIGHT SHIPPED: 4460 LB	QUANTITY: 5 PCS EST.	TRUCK B/L #: 2056386	GAUGE: 1.2500 IN (31.7500 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)
			LENGTH: 144.500 IN (3670.3 MM)	

MHU 1937226: LOT 780097A2: 5 pieces;

Certified Specifications



DAS
14
9-89
16/02/18

AMS 4045/RevK
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevM

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 1512

Test Results

Lot: 780097A2 Cast 874 Drop 59 Ingot 5 Parent Lot: 15419680 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	81.0 : 81.6 (558 : 563)	71.4 : 73.0 (492 : 503)	14.2 : 14.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.06	0.14	1.4	0.06	2.4	0.19	5.9	0.02	0.01	0.02	TOT 0.05



CERTIFIED TEST REPORT

Serial Number
4393143

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15403A R 7

AMS 4045, AMS QQ-A-250/12, AMS STD-2154, A

STM B209, ASTM B594, BS

S 7055, CMMP 025, CSTI 006, DPS 4.713, GAMP

S 9101, PS 21211

TEST NOTES

Metal represented by this test report was 100% immersion ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.

* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

* has been thermally processed in compliance with AMS 2772, where applicable.

* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).

* is in compliance with RoHS 2, European Union Directive 2011/65/EU.

* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.

* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



Castle Metals®

A. M. Castle & Co.


PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2885954

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN	Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 16-FEB-16	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 2885954-2

Shipment Details

Order No 4224975	Line No 1	Item No 750067.MO	Description 0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 8 IN (+ .1250/- .0000 IN) X 144.5 IN () - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12			
Purchase Order No 31150	Part Number	Ordered Qty 3.00 PCS	Invoice Qty 3.00 PCS			
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS						
Delivery No. 120329919	Mill KAISER ALUMINUM	Heat Number  1592278811	Mech Id PCS 3	Width (IN)	Length (IN)	Shipped Qty(LBS) 136.2542

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:  Date: Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 16-FEB-2016 05:00:52 PM FEB 16 2016

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

Serial Number

4400569

CUSTOMER PO NUMBER: 344029		WORK PACKAGE:		CUSTOMER PART NUMBER: 750067		SHIP RUN/LOAD: 103413/10		GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1199112		LINE ITEM: 2	SHIP DATE: 11-DEC-2015		ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: Sawed Plate		
WEIGHT SHIPPED: 2966 LB		QUANTITY: 11 PCS EST.		TRUCK B/L #: 2067494		GAUGE: 0.3750 IN (9.5250 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)

MHU 1956904: LOT 15922788: 11 pieces;

Certified Specifications

AMS 4045/RevK
CMMP 025/RevU

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Test Results

Lot: 15922788 Cast 895 Drop 24 Ingot 3 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper: T651	Dir / # Tests LT / 2 (Min:Max)	Ultimate KSI (MPA) 86.9 : 87.1 (599 : 601)	Yield KSI (MPA) 76.9 : 77.4 (530 : 534)	Elongation % 12.6 : 13.5
----------	-----------------	-----------------------------------	--	---	-----------------------------

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.17	1.5	0.04	2.6	0.20	5.8	0.03	0.01	0.01	TOT 0.05

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA 16409 R 3



KAISER ALUMINUM

Trantwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4400569

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO 9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.

* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

* has been thermally processed in compliance with AMS 2772, where applicable.

* is mercury free; within the limits of detection of ASTM E1251 (≤ 1 ppm).

* is in compliance with RoHS 2, European Union Directive 2011/65/EU.

* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.

* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.



JAMES HEMENWAY, LABORATORIES SUPERVISOR



MATERIAL RECEIPT INSPECTION FORM

MATERIAL 7075T6
DATE 16/02/18

PO / BATCH NO 31150/134261

MATERIAL CERT REC'D yes
QUANTITY RECEIVED 23.400
QUANTITY INSPECTED 23.400
QUANTITY REJECTED _____

THICKNESS ORDERED 7.00X2.00XB.37
THICKNESS RECEIVED 7.00X2.00XB.37
SHEET SIZE ORDERED _____
SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

Testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY	<u>DAS</u> <u>14</u> <u>9-89</u>	SIGNED OFF BY	_____
DATE	<u>16/02/18</u>	DATE	_____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL 7075T6
DATE 16/02/18

PO / BATCH NO 31150/134261

MATERIAL CERT REC'D yes
QUANTITY RECEIVED 36'
QUANTITY INSPECTED 36'
QUANTITY REJECTED _____

THICKNESS ORDERED .375X8.00
THICKNESS RECEIVED .375X8.00
SHEET SIZE ORDERED _____
SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	
CORRECT REF # TO LINK CERT	(Y) N	
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY <u>LAS</u>	<u>14</u>	SIGNED OFF BY _____	
DATE <u>16/02/18</u>	<u>9-89</u>	DATE _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7075T6
 DATE: 16/02/18

PO / BATCH NO: 31150/134261

MATERIAL CERT REC'D Y
 QUANTITY RECEIVED 33.333'
 QUANTITY INSPECTED 33.333'
 QUANTITY REJECTED _____

THICKNESS ORDERED 1.25X7.00X50.0
 THICKNESS RECEIVED 1.25X7.00X50.00
 SHEET SIZE ORDERED _____
 SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

Testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> DATE: <u>16/02/18</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31150**

Purchase Order Date 1/27/2016

PO Print Date 1/27/2016

Page Number 1 of 3

Order From :

VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

JAN 27 2016

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6B0.375X8.000	7075-T6 Plate 0.375" X 8.000", QQ-A 250/12	2/12/2016 Yes 2/12/2016	FN	36.00 ✓ f	\$22.42	\$807.12
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE							
Line Total:							\$807.12
2	M7075T6B1.250X07.000	7075-T6 BAR 1.25" X 7.000" ORDER PRE CUT TO 50.00"	2/12/2016 Yes 2/12/2016		33.33 ✓ f	\$56.64	\$1,888.00
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE							
NOTE: CUT TO SIZE 8 PCS @ 50" LONG							

2/16-02-17

Note:

1/27/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31150**

Purchase Order Date 1/27/2016

PO Print Date 1/27/2016

Page Number 2 of 3

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Total: **\$1,888.00**

3	M7075T6B7.000X2.000	7075-T6 BAR 7.000" X 2.000" (order in billets - 13.375")	2/12/2016	23.40	✓	\$87.05	\$2,037.00
---	---------------------	--	-----------	-------	---	---------	------------

Yes
2/12/2016

f

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

NOTE: CUT TO SIZE 21 PCS @ 13.375" LONG

Line Total: **\$2,037.00**

4	71401-45	procurement quality clauses	2/12/2016	1.00	✓	\$0.00	\$0.00
---	----------	-----------------------------	-----------	------	---	--------	--------

No

Procurement Quality Clauses

2/12/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

SP16-02-17

Note:

1/27/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31150**

Purchase Order Date 1/27/2016

PO Print Date 1/27/2016

Page Number 3 of 3

Order From :

VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name**Vendor Phone****Ship To Contact****Ship To Phone****Ship Via:**

Yours ppd

Ship Acct:**Buyer**

Chantal Lavoie

Customer POID**Customer Tax #**

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Total: \$0.00

PO Total: \$4,732.12

CL H

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 1/27/2016